v202602

Humanscale

Monitor Arms Specifications Guide



Quick Ship

M21BTxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE		
WT	Up to 22 lbs	Up to 10 kg

PRODUCT WEIGHT		
WT	5.9 lbs	2.7 kg


SHIPPING: 5 PACK		
L	31 in	790 mm
W	24 in	620 mm
H	7 in	170 mm
WT	37.0 lbs	16.7 kg

SHIPPING: INDIVIDUAL PACK		
L	23.75 in	605 mm
W	15.75 in	400 mm
H	7.50 in	190 mm
WT	9.0 lbs	4.0 kg


NOTES


- The VESA bracket cover is black.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 3.5 in (89 mm) thick.

DIMENSIONS



ROTATION/TILT





Quick Ship

M81BTxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE		
WT	9.0 to 50.0 lbs	4.1 to 22.7 kg

PRODUCT WEIGHT		
WT	11.0 lbs	5.0 kg


SHIPPING: 2 PACK		
L	23.5 in	600 mm
W	18.5 in	470 mm
H	7.0 in	180 mm
WT	25.5 lbs	11.5 kg

SHIPPING: INDIVIDUAL PACK		
L	23.75 in	605 mm
W	15.75 in	400 mm
H	7.50 in	190 mm
WT	13.5 lbs	6.0 kg


NOTES


- The VESA bracket cover is black.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in (71 mm) thick.

DIMENSIONS



ROTATION/TILT





Quick Ship

M81BCxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE (PER ARM)		
WT	Up to 12.5 lbs	Up to 5.7 kg

MAX. ACTUAL MONITOR WIDTH (TWO MONITORS)		
W	28 in	712 mm


PRODUCT WEIGHT		
WT	14.25 lbs	6.5 kg

SHIPPING – INDIVIDUAL PACK ONLY		
L	33 in	835 mm
W	12 in	300 mm
H	7 in	180 mm
WT	18 lbs	8 kg


NOTES


- The VESA bracket cover is black.
- The crossbar color matches the VESA color.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in (71 mm) thick.

DIMENSIONS



ROTATION/TILT





Quick Ship

M22MTxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE (PER ARM)		
WT	Up to 22 lbs	Up to 10 kg

MAX. ACTUAL MONITOR WIDTH		
W	43 in	1,090 mm


PRODUCT WEIGHT		
WT	14 lbs	6 kg

SHIPPING: INDIVIDUAL PACK		
L	19 in	485 mm
W	19 in	485 mm
H	7 in	180 mm
WT	18.5 lbs	8.5 kg


NOTES


- The VESA bracket cover is black.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in (71 mm) thick.

DIMENSIONS



ROTATION/TILT





Quick Ship

M82BHxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE (PER ARM)		
WT	Up to 12.5 lbs	Up to 5.7 kg

MAX. ACTUAL MONITOR WIDTH (TWO MONITORS)		
W	28 in	712 mm


PRODUCT WEIGHT		
WT	15 lbs	6.8 kg


SHIPPING – INDIVIDUAL PACK ONLY		
L	33 in	835 mm
W	12 in	300 mm
H	7 in	180 mm
WT	18 lbs	8 kg

NOTES


- The VESA bracket cover is black
- The crossbar color matches the VESA color.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in (71 mm) thick.


DIMENSIONS





ROTATION/TILT





Quick Ship

X221DSxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE (PER ARM)		
WT	Up to 12.5 lbs	Up to 5.7 kg

MAX. ACTUAL MONITOR WIDTH		
W	43 in	1,090 mm

PRODUCT WEIGHT		
WT	14 lbs	6 kg

SHIPPING – INDIVIDUAL PACK ONLY		
L	19 in	485 mm
W	19 in	485 mm
H	7 in	180 mm
WT	18.5 lbs	8.5 kg


SPECIFICATIONS

SIZE	ORDER CODE	MIN. DESK THICKNESS		MAX. DESK THICKNESS	
12 mm	C2	0.37 in	9.5 mm	0.57 in	14.5 mm
18 mm	C8	0.61 in	15.5 mm	0.80 in	20.5 mm
25 mm	C5	0.86 in	22.5 mm	1.08 in	27.5 mm
30 mm	C0	1.08 in	27.5 mm	1.30 in	32.5 mm


NOTES


- The same sliding desk clamps and base are used for M8 Pro.

DIMENSIONS



ROTATION/TILT





Quick Ship

X221ETxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE		
WT	Up to 22 lbs	Up to 10 kg

HEIGHT ADJUSTMENT		
DYNAMIC	9.9 in	252 mm
STATIC	6.7 in	169 mm


PRODUCT WEIGHT		
WT	10.5 lbs	4.75 kg

SHIPPING – INDIVIDUAL PACK ONLY		
L	18.5 in	475 mm
W	10.5 in	270 mm
H	14.0 in	355 mm
WT	15.5 lbs	7 kg


NOTES


- The VESA bracket cover is black.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in (71 mm) thick.

DIMENSIONS



ROTATION/TILT





Quick Ship

X221ETxC

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MONITOR WEIGHT RANGE (PER ARM)		
WT	Up to 22 lbs	Up to 10 kg

TOTAL WEIGHT OF ALL MONITOR(S) NOT TO EXCEED:		
M/POWER & M/CONNECT	60 lbs	27.2 kg
STANDARD BASE	90 lbs	40.8 kg

MAX. ACTUAL MONITOR WIDTH		
W	43.4 in	1,102 mm

HEIGHT ADJUSTMENT		
DYNAMIC	9.9 in	252 mm
STATIC	6.7 in	169 mm


PRODUCT WEIGHT		
WT	15 lbs	6.75 kg

SHIPPING – INDIVIDUAL PACK ONLY		
L	18.5 in	475 mm
W	10.5 in	270 mm
H	19.0 in	485 mm
WT	21.5 lbs	9.5 kg


NOTES


- The VESA bracket cover is black.
- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in (71 mm) thick.

DIMENSIONS



ROTATION/TILT






M2 Pro Static Arm Links

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮▮	Polished aluminum with white trim
□	White with white trim

MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

SPECIFICATIONS		
4 in	0.6 lbs	0.3 kg
8 in	0.9 lbs	0.4 kg
12 in	1.3 lbs	0.6 kg
ANGLED	0.9 lbs	0.4 kg

DIMENSIONS



M2 Pro Dynamic Link With Standard Tilt

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim


MONITOR WEIGHT RANGE		
WT	Up to 22 lbs	Up to 10 kg

WEIGHT		
WT	2.8 lbs	1.3 kg


NOTES

- Clamp The center of the tilt mechanism can range from 2.9 in (75 mm) below the top of the mount to 7 in (178 mm) above the top of the mount.


DIMENSIONS



+80° / -15°
Tilt



180°
Left / Right Pan



M2 Pro Dynamic Link Without Tilt

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮▮	Polished aluminum with white trim
□	White with white trim


MONITOR WEIGHT RANGE		
WT	Up to 22 lbs	Up to 10 kg

WEIGHT		
WT	2.4 lbs	1.1 kg

NOTES

- The center of the end opening can range from 2.9 in (75 mm) below the top of the mount to 7 in (178 mm) above the top of the mount.

DIMENSIONS



M2 Pro Turret Tilt Mechanism

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg


WEIGHT		
WT	0.7 lbs	0.3 kg

NOTES

- Used at the end of static arm links.
- The center of the tilt mechanism is 0.3 in (7 mm) above the mount.

DIMENSIONS





M2 Pro Standard Clamp & Base

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

PRODUCT WEIGHT		
WT	1.9 lbs	0.9 kg

NOTES

- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 3.5 in thick.

DIMENSIONS



M2 Pro Bolt-Through Mount & Base

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim

MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

PRODUCT WEIGHT		
W	1.6 lbs	0.7 kg


SPECIFICATIONS


SIZE	MIN. DESK THICKNESS		MAX. DESK THICKNESS	
50 mm	0.5in	12.7mm	0.8in	20.3 mm
60 mm	0.9 in	22.7 mm	1.2 in	30.3 mm
70 mm	1.29 in	32.7mm	1.6 in	40.3 mm


NOTES

- Bolt-Through mount contains three different lengths of bolt.
  - M10 x 1.5 x 50 mm Socket Head Cap Screw
  - M10 x 1.5 x 60 mm Socket Head Cap Screw
  - M10 x 1.5 x 70 mm Socket Head Cap Screw
- The minimum grommet hole size is ½ in (13 mm).
- The maximum grommet hole size is 4 in (76 mm).
- The hex key included with the Bolt-Through mount is 8 mm.
- The same Bolt-Through hardware is used for M8 Pro.

DIMENSIONS







M2 Pro Sliding Desk Clamp & Base

AVAILABLE COLORS	
■	Black with black trim
▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

PRODUCT WEIGHT		
W	1.6 lbs	0.7 kg

SPECIFICATIONS

SIZE	ORDER CODE	MIN. DESK THICKNESS		MAX. DESK THICKNESS	
12 mm	C2	0.37 in	9.5 mm	0.57 in	14.5 mm
18 mm	C8	0.61 in	15.5 mm	0.80 in	20.5 mm
25 mm	C5	0.86 in	22.5 mm	1.08 in	27.5 mm
30 mm	C0	1.08 in	27.5 mm	1.30 in	32.5 mm

DIMENSIONS



M2 Pro Direct Wall Mount

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

WEIGHT		
WT	1.6 lbs	0.7 kg

NOTES

- Mount includes 4 screws
  - #10 x 1 inch (25mm) Phillips head wood screws

DIMENSIONS



M2 Pro Slatwall Mount

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

WEIGHT		
WT	1.6 lbs	0.7 kg

NOTES

- Slatwall Mounts have to be paired/ mounted to tracks/slots that are within the range of the Slatwall Teeth/Hooks (distance between teeth) **

DIMENSIONS



M2 Pro FrameOne Mount

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg

WEIGHT		
WT	1.6 lbs	0.7 kg

NOTES

- This mount is designed specifically to fit on the FrameOne benching system.

DIMENSIONS



M2 Pro c:scape Mount

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	22 lbs	10 kg


WEIGHT		
WT	1.6 lbs	0.7 kg


NOTES

- This mount is designed specifically to fit on the c:scape desk system.

DIMENSIONS








M8 Pro Static Arm Links


AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	48.0 lbs	21.8 kg


SPECIFICATIONS		
4 in	1.6 lbs	0.7 kg
8 in	2.0 lbs	0.9 kg
12 in	2.5 lbs	1.1 kg
ANGLED	2.0 lbs	0.9 kg

DIMENSIONS









M8 Pro Dynamic Link With Standard Tilt

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim


MONITOR WEIGHT RANGE		
WT	9.0 to 50.0 lbs	4.1 to 22.7 kg


WEIGHT		
WT	4.4 lbs	2.0 kg

NOTES

- The center of the tilt mechanism can range from 2.4 in (61 mm) below the top of the mount to 7.5 in (191 mm) above the top of the mount.

DIMENSIONS





M8 Pro Dynamic Link Without Tilt

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮▮	Polished aluminum with white trim
□	White with white trim


MONITOR WEIGHT RANGE		
WT	9.0 to 50.0 lbs	4.1 to 22.7 kg

WEIGHT		
WT	3.5 lbs	1.6 kg

NOTES

- The center of the end opening can range from 2.4 in (61 mm) below the top of the mount to 7.5 in (191 mm) above the top of the mount.

DIMENSIONS



M8 Pro Turret Tilt Mechanism

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MONITOR WEIGHT RANGE		
WT	48.0 lbs	21.8 kg


WEIGHT		
WT	1.1 lbs	0.5 kg

NOTES

- Used at the end of fixed arm links.
- The center of the tilt mechanism is 0.3 in (7 mm) above the mount.

DIMENSIONS





M8 Pro Standard Clamp & Base

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim

MAX. WEIGHT CAPACITY		
WT	48.0 lbs	21.8 kg

PRODUCT WEIGHT		
W	4.2 lbs	1.9 kg


SPECIFICATIONS

SIZE	ORDER CODE	MIN. DESK THICKNESS		MAX. DESK THICKNESS	
12 mm	C2	0.37 in	9.5 mm	0.57 in	14.5 mm
18 mm	C8	0.61 in	15.5 mm	0.80 in	20.5 mm
25 mm	C5	0.86 in	22.5 mm	1.08 in	27.5 mm
30 mm	C0	1.08 in	27.5 mm	1.30 in	32.5 mm

NOTES

- Clamp can be separated into two pieces to accommodate installation where a panel is adjacent to the work surface.
- Clamp can be flipped to accommodate desks up to 2.8 in thick.

DIMENSIONS



M8 Pro Bolt-Through Mount & Base

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim

MAX. WEIGHT CAPACITY		
WT	48.0 lbs	21.8 kg

PRODUCT WEIGHT		
W	1.7 lbs	0.8 kg


SPECIFICATIONS

SIZE	MIN. DESK THICKNESS		MAX. DESK THICKNESS	
50 mm	0.7 in	17.78 mm	0.9in	22.86 mm
60 mm	1.1 in	27.78 mm	1.3 in	32.86mm
70 mm	1.5in	37.78mm	1.7 in	42.86 mm

NOTES

- Bolt-Through mount contains three different lengths of bolt.
  - M10 x 1.5 x 50 mm Socket Head Cap Screw
  - M10 x 1.5 x 60 mm Socket Head Cap Screw
  - M10 x 1.5 x 70 mm Socket Head Cap Screw
- The minimum grommet hole size is ½ in (13 mm).
- The maximum grommet hole size is 4 in (102 mm).
- The hex key included with the Bolt-Through mount is 8 mm.

DIMENSIONS



M8 Pro Sliding Desk Clamp & Base

AVAILABLE COLORS	
■	Black with black trim
▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	48.0 lbs	21.8 kg

PRODUCT WEIGHT		
W	3.3 lbs	1.5 kg

SPECIFICATIONS

SIZE	ORDER CODE	MIN. DESK THICKNESS		MAX. DESK THICKNESS	
12 mm	C2	0.37 in	9.5 mm	0.57 in	14.5 mm
18 mm	C8	0.61 in	15.5 mm	0.80 in	20.5 mm
25 mm	C5	0.86 in	22.5 mm	1.08 in	27.5 mm
30 mm	C0	1.08 in	27.5 mm	1.30 in	32.5 mm

DIMENSIONS



M8 Pro Direct Wall Mount

AVAILABLE COLORS	
■	Black with black trim
■	Silver with gray trim
■	Polished aluminum with white trim
■	White with white trim


MAX. WEIGHT CAPACITY		
WT	28 lbs	12.7 kg

WEIGHT		
WT	1.3 lbs	0.6 kg

NOTES

- Mount includes 4 screws
  - #10 x 1 inch (25mm) Phillips head wood screws

DIMENSIONS



M8 Pro c:scape Mount

AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮	Polished aluminum with white trim
□	White with white trim


MAX. WEIGHT CAPACITY		
WT	50 lbs	23 kg

WEIGHT		
WT	1.6 lbs	0.7 kg

NOTES

- This mount is designed specifically to fit on the c:scape desk system.

DIMENSIONS



MFlex M2 Pro Posts & Brackets


AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮▮	Polished aluminum with white trim
□	White with white trim


HEIGHT		
12”	13.2 in	334 mm
18”	19.7 in	499 mm
24”	25.0 in	634 mm
30”	31.5 in	799 mm
36”	38.0 in	964 mm

NOTES

- Posts taller than 24” are not available with technology bases.
- The maximum weight load should not exceed 95 lbs.
- The maximum weight load should not exceed 60 lbs when a technology base is used.
- Maximum number of monitors supported by a single post is 6.
- Always use post stops to prevent monitor from swinging behind the clamp.


DIMENSIONS







M/Flex Pro Posts


12 inch Post
Product Weight: 1.5 lbs (0.68 Kg)





18 inch Post
Product Weight: 2.3 lbs (1.04 kg)





MFlex M8 Pro Posts & Brackets


AVAILABLE COLORS	
■	Black with black trim
▮▮	Silver with gray trim
▮▮	Polished aluminum with white trim
□	White with white trim


HEIGHT		
12”	13.2 in	334 mm
18”	19.7 in	499 mm
24”	25.0 in	634 mm
30”	31.5 in	799 mm
36”	38.0 in	964 mm


NOTES


- Posts taller than 24” are not available with technology bases.
- The maximum weight load should not exceed 95 lbs.
- The maximum weight load should not exceed 60 lbs when a technology base is used.
- Maximum number of monitors supported by a single post is 6.
- Always use post stops to prevent monitor from swinging behind the clamp.

DIMENSIONS












VESA Options and Accessories

751-1007 - 100 x 100 VESA











VESA Options and Accessories

751-1030 - 100 x 200 VESA




VESA Options and Accessories

200x200 VESA SPECS





751-1042-Spec - Offset VESA





VESA Options and Accessories

Dell QA Specs











VESA Options and Accessories

825-1075-Medium Thin Client





825-1077-Large Thin Client




VESA Options and Accessories

Adapter Bracket Specs









VESA Options and Accessories

Accessory Hook




VESA Options and Accessories

Single Monitor Handle



VESA Options and Accessories


Slider



Right side view of M8 Pro Slider with turret


VESA Options and Accessories

Dual Crossbar




VESA Options and Accessories


Triple Crossbar



VESA Options and Accessories

Notebook Holder NH1-x






Notes:










1. Product Weight: [1.5 kg] 3.4 lbs
2. Weight Capacity:
   - 5-10 lbs on M2 Pro
   - 6-20 lbs on M8 Pro
   - Up to 6.5 lbs on Slider and Crossbar
   - N/A on Triple Crossbar

VESA Options and Accessories

UFEA



Common MFlex Configuration Screen Size Accommodations

CONFIGURATION / DESCRIPTION	MAX MONITOR WIDTH EXTENDED	MAX MONITOR WIDTH FOLDED
Dual M2 Pro MFlex, 8” Straight Link/Dynamic Link (Arm Style E)		
Dual M2 Pro MFlex, 12” Straight Link/Dynamic Link (Arm Style F)		
Dual M2 Pro MFlex, 8” Straight Link/8” Straight Link (Arm Style J)		
Dual M2 Pro MFlex, Dynamic Links With Sliders		
Dual M8 Pro MFlex, 8” Straight Link/Dynamic Link (Arm Style E)		


M/Flex M2 Pro Screen Size Accommodations: Single Link Styles

		MAX ACTUAL WIDTH PER MONITOR					
		TWO MONITORS (PER MONITOR)		THREE MONITORS (PER MONITOR)		DIMENSION A	
Arm Style	Description	in	mm	in	mm	in	mm
D	Dynamic Link	27.4	696	13.7	348	13.7	348
4	4" Link	15.8	406	7.9	203	7.9	203
8	8" Link	23.8	608	11.9	304	11.9	304
1	12" Link	31.8	808	15.9	404	15.9	404

NOTES

- Dimensions provided are for actual monitor width.
- Slider adds 4.6 inches (118 mm) of adjustment to each side.
- Do not exceed weight limitations.

DIMENSIONS




M/Flex M2 Pro Screen Size Accommodations: Double Link Styles

		MAX ACTUAL WIDTH (PER MONITOR)							
		TWO MONITORS (PER MONITOR)		THREE MONITORS (PER MONITOR)		DIMENSION A		DIMENSION B	
Arm Style	Description	in	mm	in	mm	in	mm	in	mm
B	Angled/Dynamic	40.8	1036	20.4	518	10.6	270	20.4	518
C	4"/Dynamic	35.4	904	17.7	452	7.9	203	17.7	452
E	8"/Dynamic	43.4	1104	21.7	552	11.9	304	21.7	552
F	12"/Dynamic	51.4	1304	25.7	652	15.9	404	25.7	652
G	4"/8" Links	31.8	816	15.9	408	7.9	203	15.9	408
J	8"/8" Links	39.8	1016	19.9	508	11.9	304	19.9	508
K	8"/12" Links	47.8	1216	23.9	608	11.9	304	23.9	608
L	12"/12" Links	55.8	1416	27.9	708	15.9	404	27.9	708
V	4"/4" Links	23.8	616	11.9	308	7.9	203	11.9	308

NOTES

- Dimensions provided are for actual monitor width.
- Slider adds 4.6 inches (118 mm) of adjustment to each side.
- Do not exceed weight limitations.

DIMENSIONS




M/Flex M2 Pro Screen Size Accommodations: Triple Link Styles

		MAX ACTUAL WIDTH (PER MONITOR)									
		TWO MONITORS (PER MONITOR)		THREE MONITORS (PER MONITOR)		DIMENSION A		DIMENSION B		DIMENSION C	
Arm Style	Description	in	mm	in	mm	in	mm	in	mm	in	mm
M	4"/Angled/Dynamic	48.8	1244	24.4	622	7.9	203	14.6	374	24.4	622
P	4"/8"/Dynamic	51.4	1312	25.7	656	7.9	203	15.9	408	25.7	656
Q	4"/12"/Dynamic	59.4	1512	29.7	756	7.9	203	19.9	508	29.7	756

NOTES

- Dimensions provided are for actual monitor width.
- Slider adds 4.6 inches (118 mm) of adjustment to each side.
- Do not exceed weight limitations.

DIMENSIONS




M/Flex M8 Pro Screen Size Accommodations: Single Link Styles

		MAX ACTUAL WIDTH (PER MONITOR)					
		TWO MONITORS (PER MONITOR)		THREE MONITORS (PER MONITOR)		DIMENSION A	
Arm Style	Description	in	mm	in	mm	in	mm
D	Dynamic Link	29	696	14.5	348	14.5	348
4	4" Link	15.8	406	7.9	203	7.9	203
8	8" Link	23.8	608	11.9	304	11.9	304
1	12" Link	31.8	808	15.9	404	15.9	404

NOTES

- Dimensions provided are for actual monitor width.
- Slider adds 4.6 inches (118 mm) of adjustment to each side with maximum weight capacity of 12.5 lbs (5.7 kg).
- Do not exceed weight limitations.

DIMENSIONS




M/Flex M8 Pro Screen Size Accommodations: Double Link Styles

		MAX ACTUAL WIDTH (PER MONITOR)							
		TWO MONITORS (PER MONITOR)		THREE MONITORS (PER MONITOR)		DIMENSION A		DIMENSION B	
Arm Style	Description	in	mm	in	mm	in	mm	in	mm
B	Angled/Dynamic	42.4	1036	21.2	518	10.6	270	21.2	518
C	4"/Dynamic	37	904	18.5	452	7.9	203	18.5	452
E	8"/Dynamic	45	1104	22.5	552	11.9	304	22.5	552
F	12"/Dynamic	53	1304	26.5	652	15.9	404	26.5	652
G	4"/8" Links	31.8	816	15.9	408	7.9	203	15.9	408
J	8"/8" Links	39.8	1016	19.9	508	11.9	304	19.9	508
K	8"/12" Links	47.8	1216	23.9	608	11.9	304	23.9	608
L	12"/12" Links	55.8	1416	27.9	708	15.9	404	27.9	708
V	4"/4" Links	23.8	616	11.9	308	7.9	203	11.9	308

NOTES

- Dimensions provided are for actual monitor width.
- Slider adds 4.6 inches (118 mm) of adjustment to each side with maximum weight capacity of 12.5 lbs (5.7 kg).
- Do not exceed weight limitations.

DIMENSIONS



M/Flex M8 Pro Screen Size Accommodations: Triple Link Styles

		MAX ACTUAL WIDTH (PER MONITOR)									
		TWO MONITORS (PER MONITOR)		THREE MONITORS (PER MONITOR)		DIMENSION A		DIMENSION B		DIMENSION C	
Arm Style	Description	in	mm	in	mm	in	mm	in	mm	in	mm
M	4"/Angled/Dynamic	50.4	1244	25.2	622	7.9	203	14.6	374	25.2	622
P	4"/8"/Dynamic	53	1312	26.5	656	7.9	203	15.9	408	26.5	656
Q	4"/12"/Dynamic	61	1512	30.5	756	7.9	203	19.9	508	30.5	756

NOTES

- Dimensions provided are for actual monitor width.
- Slider adds 4.6 inches (118 mm) of adjustment to each side with maximum weight capacity of 12.5 lbs (5.7 kg).
- Do not exceed weight limitations.

DIMENSIONS

